RECEIVED-DNR

State of Wisconsin
Department of Natural Resources
Private Water Systems Section - DG/2
dnr.wi.gov

2014

High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

Page 1 of 6

DRINKING WATER & GW

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information						
Application Prepared By (Name and Title)	. \	Company	h.			1120 200 10
John Pelke (W. Street Address	ell Driller)	Pelk.	e Plu	mbing	+ W State	Dell Drilling
- 1	11 ~	1		,	1	
N6298 State Telephone Number	Hwy 25	Dar	and E-Mail Addr		us	and the same of th
54 (1987)	Fax Number	_	E-Mail Addr	ess	. 3	Y /.
715 672-5266	715 672-5	267	John	(a) Pell	e t	Yumbing . con
Property Ownership Information		In .				
Property owner, if different than applicant	O + I	Company				
John & Carol	Buhlman				-	
Street Address	. 2	City	0		State	ZIP Code
<u>N 419 296 S</u>	<i>T</i> ,	Eav	Ga	lle	WI	54737
Telephone Number	Fax Number		E-Mail Addr	ess		
715 495-2008						
Well Operator Information						
Well operator if different than owner (Name	e of Person and Title)	Company				
Street Address		City			State	ZIP Code
Telephone Number	Fax Number		E-Mail Addr	ess		
Property Information	<u> </u>					
Enter the High Capacity Well File Number be	elow if the property is already a	high capacity	property. If t	the property is no	ot design	ated as a high capacity
property at the time of application, enter "NO or use the compact disk of departmental wel	NE." NOTE: Find the file numb	per in upper rig	ght hand corr	ner of the most re	ee "File I	h capacity well approval,
"Location" section. File number format is as						
County	Town			High Capacity V	Vell File	No.
Lepin	Frankfo	+ re		-		_
Submittal Purpose		,				*
Check all that apply:						
Install one or more new wells with a	a capacity greater than 70 g	allons per m	inute.			
Install one or more new wells with a	a capacity less than 70 gallo	ns per minut	te on a high	capacity prop	erty.	
Replace one or more wells with a c				. 10 35034 050	*1	
Replace one or more wells with a c	d 1970/700 175			apacity propert	.V.	
Reconstruct one or more wells with	5 (5)	35.7	327.1			
Reconstruct one or more wells with				nh capacity pro	perty.	
☐ Increase pumping rate in one or mo				K.	, ,	
Request continued operation of hig					required	47
Renew a previous approval that ha		igo in owner	5.11p. (140 c	Application 166	. oquiloc	.,,
		at Socialis	itione on no	ngo 5		
Well (or wells) will serve a school o	i wasiewater treatment plan	ii. See delin	nuons on pa	ige 5.		
i i Umer expiain						

Sife	Status	Information	
UILU	Julius	moment	

and t	he in	the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers formation supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each owing questions.							
YES	NO NO								
	囟	Has there been a change in well ownership since the last approval was written?							
	·	If YES, name of current owner: Date of purchase:							
	Ø	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:							
	囟	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.							
	如	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)							
	垉	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:							
	囡	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:							
	侞	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:							
	内	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.							
	φ	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.							
	如	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?							
	凶	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.							
	മ	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?							
	囟	Will the well discharge directly to a storage pond?							
	团	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?							
	口	Is a proposed well within 1,200 feet of a quarry?							
	囟	Is a proposed well located in a floodplain or floodway?							
	囟	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?							
	囟	Will the well be used as a source of bottled water?							
	ф	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?							
	如	Is the property served by a community water system?							

Existing Well Information																				
Enter the following information or	alle	xistir	ng v	velis c	n the	pro	perty, if r	nore	thai	n fou	r wel	ls, sut	mit	additi	onal	shee	ts:			
Well Name Assigned by Well Owner (North Well, etc.):		$M_{\tilde{c}}$	<u></u> クロ	ر ح ۱		T	***************************************						***************************************			T				
Well Number Assigned by Owner (001, 002, etc.):					***************************************		.**1		•											
Wi Unique Well Number or NA if no number:						T									•					
Permanent DNR High Capacity Well Number or N/A if none:						1								***************************************		<u> </u>				
Public Water System ID Number, if Public (if not public, NONE):																				
Potable or Non-Potable Use:	†			······································		十					 					T			 -	wt
Type of Well (Irrigation, Industrial, Residential, etc.):																				
Requested Average Water Usage per Day in Gallons:			***	· •••																
Requested Maximum Water Usage per Day in Gallons:						T														
Seasonal? (April to October, Year Around, etc.):													**							
Approved Pumping Capacity if Previously Approved (gpm):																				····
Current Pump Type & Capacity (gpm)																				
Proposed Pump Type & Capacity If Change Requested (gpm):												•				T				
Pump Discharge Type (Over Top of Casing Seal, Pilless, etc.):				, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								-						***************************************	····	
Discharge Location (Building Pressure Tank, Pond, etc.):	Ī					T														
Height of Well Casing Above Ground in Inches:																				·····
Potential Contaminant Sources and Distance:																				
Well Loc: Quarter Quarter Section		1	1/4 o	ſ	1/4		1/4	of		1/4		1,	/4 of		1/4	T	1	/4 of		1/4
or Government Lot Number		****		•			<u></u>								17.7	 		7 01		1/7
Section or French Long Lot No.	Ī										 									
Township:	т				N	Т				N	Т				N	+				N
Range (Select E or W):	R			Пε	-	/ R		Ī	Je [Ϊw	 		Ī	Īε	Πw	1		1	ПЕ	Пw
Latitude (Degrees and Minutes)	Ë	o				1	0		<u>.,</u>	 ;	, ,	٥	<u>-</u>		1 4 4	<u> </u>	-	<u>L</u>		<u>v</u>
Longitude (Degrees and Minutes)		0				, -	0	<u></u> .		1	 			-`	,					
GPS Map Datum (WGS84, WTM91, etc.)						 								'						
Include as much of the following inform well construction record is attached, a	nation oplica	as pr nt ma	actic y lea	al for v	wells t	hat d	io not hav rows bianl	e we	ll cor	struc	tlon re	ecords	attac	hed t	o the	applic	ation,	howe	ever if	the
Date of Construction:																				
Drilled by (Name of Drilling Firm):																				
Drilling Method(s) (Rotary, Percussion, Etc.)					_		,,								***					
Well Depth in Feet:												***************************************								
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:		inche	es,		feet		inches,			feet		inche	s.		feet		inche	s.		feet
Lower Drillhole Dlameter in Inches and Depth in Feet:		inche	es,		feet		inches,			feet		inche	······		feet		inche			feet
Well Casing Diameter in Inches and Depth in Feet:		inche	98,		feet		inches,			feet		inche			feet		inche			feet
Well Casing Material and Wall Thickness:																		•		
Annular Space Material Between Casing and Drillhole Wall:																				
Is There a Well Screen (Y or N) If so, Screen Material?:																				

Proposed Well Information			
Enter the following information on all	proposed wells on the property, if more than two wells	s or alternate construction, submit a	additional sheets:
Well Name Assigned by Well Owner (North Well, etc.):	Irrigation well #1		
Well Number Assigned by Owner (001, 002, etc.):	1		
Well Loc: Quarter Quarter Section or French Long Lot Number	SW 1/4 of NE 1/4 of Section 03	1/4 of 1/4 of	Section
or Government Lot Number			
Township & Range (Select E or W)	T 24 N,R 14 DE XW	T N, R	DE DW
Latitude (Degrees and Minutes)	N44 · 35' 3249	0	
Longitude (Degrees and Minutes)	w092 °03' 2609 '	0	1
GPS Map Datum (WGS84, WTM91, etc.)			
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: irrigation Potable Non-Potable	Туре:	Potable Non-Potable
Drilling Method(s) (Rotary, Percussion, Etc.): Anticipated Geological Materials and I	Depths that Are Expected During Drilling:		
Material and Depth Interval:			
	Sandagravel from 0' to 130.	from	0' to '
Material and Depth Interval:	sandrock from 130 to 400	from	' to '
Material and Depth Interval:	from ' to '	from	' to '
Material and Depth Interval:	from ' to '	from	' to
Material and Depth Interval:	from ' to '	from	' to
Drillhole Diameter and Anticipated Dep			
Diameter and Depth Interval:	23" from 0 to 140 to	from	' to
Diameter and Depth Interval:	15" from 140 · to 400 ·	from	' to '
Diameter and Depth Interval:	from ' to '	from	' to
Diameter and Wall Thickness	and Wall Thickness at Anticipated Depth Intervals:		
at Depth Interval:	16 "diam/, 250" thick 0' to 140.	" diam/ " thick	0' to '
Diameter and Wall Thickness at Depth Interval:	" diam/ " thick ' to '	" diam/ " thick	
Permanent Casing or Liner Material , It		" diam/ " thick	' to '
Casing Joints (Welded, T and C,	welded		
etc.) Material and Weight	1 4		
at Depth Interval:	Steel 142,04 lbs/foot 0' to 140'	/ lbs/foot	0 ' to '
Material and Weight at Depth Interval:	/ lbs/foot ' to '	/ lbs/foot	' to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	/ "/ 'to '	1 "/	' to '
Casing to Screen Joint (Welded, T and C, K Packer, etc.)			
Annular Space Material Including Filter	Pack Material, If Used:		
Material and Depth Interval:	neal cement 1 0' to 140'	,	0' to '
Material and Depth Interval:	/ ' to '		700
Proposed Average Water Usage Per	427 000	1	' to '
Day in Gallons: Proposed Maximum Water Usage Per	150,000 gpd		
Day in Gallons:	964,000 and		
Seasonal? (April to October, Year Around, etc.):	seasonal		
Proposed Pump Type & Capacity (gpm):	submersible 600 gpm		
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	over top of casing		
Discharge Location (Building Pressure Tank, Pond, etc.): Distance and Direction to Nearest	center pivot		
Public Utility Well & Well Name:	Durand ~ 7 miles		
Distance to Other Potential Contaminant Sources:			
Distance to Other Potential			
Contaminant Sources:			
Leave Blank, for Department use only			

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	N .1		Check Box	
John	Pelke		Owner Owner	Agent of the Owner
Signature	Pelle	Company Felke	Pumbing a We	Date 6-5-14
Application submittal. Section - DG/2, PO B	Mail completed application ox 7921, Madison WI 5370	and payment with all rec 7-7921.	uired attachments to DNR,	Private Water Systems
Definitions from Wis	consin Administrative Co	des		
Pl E-b	and a continue to the continue	a defede a competition of the	NID 040 0745433	

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]


"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]





enables us to precisely locate a particular place or point on the earth's surface. Latitude and longitude information is a coordinate system written in degrees (*) and minutes (*) and uses a grid that

located at the equator. Latitude lines, or parallels, run horizontally across the surface of the map and is the angular distance north or south from the equator of a particular point on the earth's surface. The degrees continue 90° north and south, with 0° being

meridian at 0° located in Greenwich, England. The degrees continue 180° east and 180° west where they come together to form the International Date Line in the Pacific Ocean. Longitude lines, or meridians, run vertically and is the angular distance of a particular point east or west of the prime

There are 60 minutes in each degree and each minute is divided into 60 seconds Degrees latitude and longitude are divided into minutes and seconds for more precision in finding a particular point on earth.